

ZANGANI®
antinfortunistica import - export

1.CG/2019

GUANTI DA LAVORO



PRONTI A TUTTO.

**MANO™
GRIP**

GZ®

ta-Ku™

BAXY®

Ansell

**Marigold
Industrial**

GUANTI *WORK* DA LAVORO *GLOVES*

Siamo produttori e importatori di guanti da lavoro, da più di trent'anni offriamo una vasta gamma di prodotti per ogni situazione, rischio specifico ed esigenza.

Siamo in grado di rispondere con la massima professionalità a qualsiasi richiesta di guanti specialistici e realizzati con marchi registrati di cui siamo proprietari diretti o distributori ufficiali.

Il nostro obiettivo è garantire le migliori soluzioni tecniche per la protezione delle mani con il massimo comfort in ogni situazione lavorativa, fornendo il miglior servizio a tutti i nostri clienti.

Ci aggiorniamo costantemente sulle normative che regolano il campo dell'antinfortunistica e informiamo i nostri clienti attraverso visite e newsletter.



We are producers and importers of working gloves since more than 30 year, we offer a wide range of products for every situation, specific risk and need.

We can answer to any request of specialized or customized gloves with the utmost professionalism, and we do this through registered trademarks of which we are direct owners and official distributors.

Our goal is to ensure the best technical solutions to preserve hands in the best comfort in every working situation, by supplying the best service to all our customers.

We keep updated about the regulations concerning the accident prevention and we inform our customers through visits and newsletters.

Indice / Index

**MANOTM
GRIP**

GZ[®]

6	guanti spalmati NEW / coated gloves NEW
10	guanti tecnologia t-touch / t-touch technology gloves
12	guanti tecnologia antitaglio / cut-resistant technology gloves
14	guanti spalmati / coated gloves
18	guanti N.B.R. / N.B.R. gloves
20	guanti lattice - P.V.C. / latex / P.V.C. gloves
22	guanti in crosta / split leather gloves
24	guanti in fiore / grain leather gloves
28	guanti in maglia di acciaio inox / knitted stainless steel gloves
28	guanti foderati invernali / lined winter gloves
30	guanti anticalore / heat protection gloves
32	guanti per saldatura / welding gloves
36	guanti in cotone / cotton gloves

ta-Ku[®]

38	guanti linea Ta-Ku
----------	--------------------


BAXY[®]

46	guanti monouso / disposable gloves
----------	------------------------------------

Ansell

**Marigold[®]
Industrial**

50	guanti linea Ansell e Marigold /Ansell and Marigold gloves
----------	--



MAYO
Grip
TG. 8/L
4543
Art. 30930
EN 388:2003
CE

**MANOTM
GRIP**





GUANTI COATED GLOVES SPALMATI NEW



La funzione igienica integrata evita la proliferazione di batteri rendendo il guanto fresco e libero da cattivi odori.

The integrated hygienic function avoids the proliferation of bacterias, making gloves fresh and free from bad odors.

Contiene biocidi: Tetradecyldimonium silan CAS: 41591-87-1. Questa sostanza è tra quelle approvate conformemente alla direttiva 98/8/CE (direttiva sui biocidi) e al regolamento (UE) n. 528/2012 (regolamento sui biocidi) e come principio attivo approvato è incluso nella lista dei principi attivi approvati della lista prodotta dall'Echa (vedi qui sotto il CAS 41591- 87-1)

It contains biocides: Tetradecyldimonium silan CAS: 41591-87 -1. This substance is among those approved by the directive 98/8/CE (directive on the biocides) and to the rule (UE) n. 528/2012 (rule on the biocidis) and as approved active substance it is included in the list of the approved active principles made by Echa (see under here the CAS 41591- 87 -1)

IN PUI
cod. **30805**

size: **S-M-L-XL-XXL**

color:  

packaging:




EN 388:2003



2131

EN 388:2016



2131X



GUANTI IN NYLON LEGGERO
SPALMATI IN POLIURETANO
POLYURETHANE COATED LIGHT
NYLON BLUE GLOVES

IN NITRILE

cod. **30835**

size: **S-M-L-XL-XXL**

color:  

packaging:



EN 388:2003



4121

EN 388:2016



4121X



GUANTI IN NYLON/SPANDEX SPALMATI
IN NITRILE FOAM

*NYLON/SPANDEX GLOVES IN FOAM
NITRILE COATED*



IN NITRILE

cod. **30836**

size: **S-M-L-XL-XXL**

color:  

packaging:



EN 388:2003



4121

EN 388:2016



4121X



GUANTI IN NYLON/SPANDEX SPALMATI
3/4 IN NITRILE FOAM

*NYLON/SPANDEX GLOVES 3/4 COATED
IN FOAM NITRILE*



IN NITRILE

cod. **30837**

size: **S-M-L-XL-XXL**

color:  

packaging:



EN 388:2003



4121

EN 388:2016



4121X



GUANTI IN NYLON/SPANDEX
SPALMATI AL POLSO IN NITRILE FOAM

*NYLON/SPANDEX GLOVES COATED
TO THE WRIST IN FOAM NITRILE*



IN NITRILE

cod. **30838**

size: **S-M-L-XL-XXL**

color: 

packaging:  12  144

EN 388:2003



4121

EN 388:2016



4131X



GUANTI IN NYLON/SPANDEX ULTRA LEGGERI
SPALMATI IN NITRILE FOAM

NYLON/SPANDEX ULTRA LIGHT GLOVES
COATED IN FOAM NITRILE



IN NITRILE

cod. **30839**

size: **S-M-L-XL-XXL**

color: 

packaging:  12  144

EN 388:2003



4121

EN 388:2016



4131X



GUANTI IN NYLON/SPANDEX ULTRA LEGGERI DOTS
SPALMATI 3/4 IN NITRILE FOAM

NYLON/SPANDEX ULTRA LIGHT GLOVES
3/4 NITRILE COATED WITH DOTTED PALM



IN NITRILE

cod. **30848**

size: **S-M-L-XL-XXL**

color: 

packaging:  12  144

EN 388:2003



4121

EN 388:2016



4131X



GUANTI IN NYLON/SPANDEX ULTRA LEGGERI DOTS
SPALMATI IN NITRILE FOAM

NYLON/SPANDEX ULTRA LIGHT GLOVES
NITRILE COATED WITH DOTTED PALM



GUANTI DA LAVORO

MANO GRIPTM

LA TUA SECONDA PELLE.



ZANGANI[®]
antinfortunistica import - export

manogrip.it





TECNOLOGIA T-TOUCH T-TOUCH TECNOLOGY

IN NITRILE

cod. **30900**

size: **7-8-9-10-11**

color: ■ ■

packaging: 12 144

EN 388:2003 EN 388:2016



4131



4121X



GUANTI IN NYLON SPANDEX, SPALMATI IN NITRILE MICROPOROSO
TRASPIRANTE AD ALTA RESISTENZA WATEREPELLENT E ANTIBATTERICO
CON BUONA TENUTA AGLI OLI

*MICROPOROUS, BREATHABLE AND RESISTANT NITRILE COATED SPANDEX
NYLON GLOVES WATEREPELLENT, ANTIBACTERIAL AND OIL-REPELLENT*



IN NITRILE

cod. **30910**

size: **8-9-10-11**

color: ■ ■

packaging: 12 144

EN 388:2003 EN 388:2016



4131



4121X



GUANTI IN NYLON SPANDEX, SPALMATI A 3/4 IN NITRILE MICROPOROSO
TRASPIRANTE AD ALTA RESISTENZA WATEREPELLENT E ANTIBATTERICO
CON BUONA TENUTA AGLI OLI

*MICROPOROUS, BREATHABLE AND RESISTANT NITRILE COATED TO 3/4
SPANDEX NYLON GLOVES WATEREPELLENT, ANTIBACTERIAL AND OIL-
REPELLENT*



IN NITRILE

cod. **30915**

size: **7-8-9-10-11**

color:  

packaging:



EN 388:2003



4131



GUANTI IN NYLON SPANDEX CON DOPPIA SPALMATURA 3/4 IN NITRILE MICROPOROSO PROTEZIONE DA LIQUIDI, OLI E SOLVENTI, LAVABILE, FINITURA ELASTICIZZATA, GRIP SICURO, ALTA RESISTENZA

MICROPOROUS NITRILE 3/4 DOUBLE COATED NYLON GLOVES, PROTECTION FROM LIQUIDS, OILS AND SOLVENT, WASHABLE, STRECHT FINISHING, SAFE GRIP, HIGH RESISTANCE



IN NITRILE

cod. **30920**

size: **7-8-9-10-11**

color:  

packaging:



EN 388:2003



4131

EN 388:2016



4121X



GUANTI IN NYLON SPANDEX LEGGERO, SPALMATI IN NITRILE MICROPOROSO TRASPIRANTE AD ALTA RESISTENZA, DESTREZZA LIVELLO 5, WATEREPELLENT E ANTIBATTERICO CON BUONA TENUTA AGLI OLI

MICROPOROUS, BREATHABLE AND RESISTANT NITRILE COATED LIGHTWEIGHT GLOVES WITH 5 DEXTERITY LEVEL, WATEREPELLENT, ANTIBACTERIAL AND OIL-REPELLENT





TECNOLOGIA CUT-RESISTENT ANTITAGLIO TECNOLOGY

IN NITRILE

cod. **30940**

size: **7-8-9-10-11**

color:  

packaging:  



GUANTI IN FIBRA ANTITAGLIO CUT 5, DOPPIA SPALMATURA 3/4 IN NITRILE MICROPOROSO, PROTEZIONE DA LIQUIDI, OLI E SOLVENTI, LAVABILE, FINITURA ELASTICIZZATA, GRIP SICURO, ALTA RESISTENZA

MICROPOROUS NITRILE 3/4 DOUBLE COATED CUT-RESISTANT FIBER GLOVES (CUT 5), PROTECTION FROM LIQUIDS, OILS AND SOLVENT, WASHABLE, STRECHT FINISHING, SAFE GRIP, HIGH RESISTANCE

IN NITRILE

cod. **30930**

size: **8-9-10-11**

color:  

packaging:  



GUANTI IN FIBRA ANTITAGLIO CUT 5, SPALMATI IN NITRILE MICROPOROSO TRASPIRANTE AD ALTA RESISTENZA WATERREPELLENT E ANTIBATTERICO CON BUONA TENUTA AGLI OLI

"CUT 5" MICROPOROUS, BREATHABLE AND RESISTANT NITRILE COATED CUT-RESISTANT FIBER GLOVES WATERREPELLENT, ANTIBACTERIAL AND OIL-REPELLENT

IN PU

cod. **30850**

size: **6-7-8-9-10-11**

color: 

packaging:  12  144

EN 388:2003



4342

EN 388:2016



4242B



GUANTI IN FIBRA ANTITAGLIO CUT 3 SPALMATI
IN POLIURETANO, CON RINFORZO SUL
POLLICE, ALTA DURATA

*POLYURETHANE COATED CUT-RESISTANT
FIBER GLOVES, WITH REINFORCED THUMB,
LONG LASTING*



IN PU

cod. **30840**

size: **6-7-8-9-10**

color: 

packaging:  12  144

EN 388:2003



4343

EN 388:2016



4242B



GUANTI IN FIBRA ANTITAGLIO CUT 3, SPALMATI IN
POLIURETANO

*"CUT 3" POLYURETHANE COATED CUT RESISTANT FIBER
GLOVES*



IN PU

cod. **30860**

size: **6-7-8-9-10**

color: 

packaging:  12  144

EN 388:2003



4542

EN 388:2016



4442C



GUANTI IN FIBRA ANTITAGLIO CUT 5, SPALMATI IN
POLIURETANO

*"CUT 5" POLYURETHANE COATED CUT-RESISTANT
FIBER GLOVES*



GUANTI *COATED* SPALMATI *GLOVES*

TOUCH

cod. **30600G**

size: **7-8-9-10-11**

color:  

packaging:



EN 388:2003



4131

EN 388:2016



4131X



GUANTI NYLON CARBONIO SPALMATI IN PU GRIGIO, ADATTI AL CONTATTO CON SCHERMI TOUCH

POLYURETHANE COATED CARBON NYLON GREY GLOVES, SUITABLE FOR CONTACT WITH TOUCH SCREENS



TOUCH

cod. **30600N**

size: **7-8-9-10-11**

color: 

packaging:



EN 388:2003



4131

EN 388:2016



4131X



GUANTI NYLON CARBONIO SPALMATI IN PU GRIGIO, ADATTI AL CONTATTO CON SCHERMI TOUCH

POLYURETHANE COATED CARBON NYLON BLACK GLOVES, SUITABLE FOR CONTACT WITH TOUCH SCREENS



IN PUI

cod. **30700**

size: **6-7-8-9-10**

color: ☐

packaging:  **12**  **144**

EN 388:2003



GUANTI MIIZU NYLON SPALMATI IN IMPRANIL BIANCO, TECNOLOGIA A BASE ACQUA, IPOALLERGENICI, DMF NON RINTRACCIABILE, LUNGA DURATA.

"MIIZU" WHITE IMPRANIL COATED NYLON GLOVES, WATER-BASED TECHNOLOGY, HYPOALLERGENIC, DMF UNTRACEABLE, LONG LASTING

IN PUI

cod. **30701**

size: **6-7-8-9-10**

color: ☒

packaging:  **12**  **144**

EN 388:2003



GUANTI MIIZU NYLON SPALMATI IN IMPRANIL NERO, TECNOLOGIA A BASE ACQUA, IPOALLERGENICI, DMF NON RINTRACCIABILE, LUNGA DURATA

"MIIZU" BLACK IMPRANIL COATED NYLON GLOVES, WATER-BASED TECHNOLOGY, HYPOALLERGENIC, DMF UNTRACEABLE, LONG LASTING

IN PUI


cod. **30810**

size: **S-M-L-XL-XXL**

color: ☐

packaging:  **12**  **300**

EN 388:2003



4131

4131X

GUANTI NYLON SPALMATI IN POLIURETANO BIANCO
WHITE POLYURETHANE COATED NYLON GLOVES



IN PUI

cod. **30815**

size: size: **S-M-L-XL-XXL**

color: 

packaging:  

EN 388:2003



4131

EN 388:2016



4131X



GUANTI NYLON SPALMATI IN POLIURETANO NERO

BLACK POLYURETHANE COATED NYLON GLOVES



IN PUI

cod. **30800ECO**

size: **S-M-L-XL-XXL**

color: 

packaging:  

EN 388:2003



4131

EN 388:2016



4131X



GUANTI IN POLIESTERE SPALMATI IN POLIURETANO NERO

BLACK POLYURETHANE COATED POLYESTER GLOVES



IN PUI

cod. **30800ECO**

size: **S-M-L-XL-XXL**

color: 

packaging:  

EN 388:2003



4131

EN 388:2016



4131X



GUANTI IN POLIESTERE SPALMATI IN POLIURETANO BIANCO

WHITE POLYURETHANE COATED POLYESTER GLOVES



IN NITRILE

cod. **30830**

size: **7-8-9-10**

color: ☒ ☐

packaging:  

EN 388:2003 EN 388:2016



4122



4121X



GUANTI NYLON SPALMATI IN NITRILE GRIGIO

GREY NITRILE COATED NYLON GLOVES



IN NITRILE

cod. **30830ECO**

size: **7-8-9-10**

color: ☒ ☐

packaging:  

EN 388:2003



4121



GUANTI POLIESTERE SPALMATI IN NITRILE GRIGIO

GREY NITRILE COATED POLYESTER GLOVES



IN NITRILE

cod. **30820**

size: **7-8-9-10**

color: ☒ ☐

packaging:  

EN 388:2003



4121

EN 388:2016



4121X



GUANTI POLIESTERE SPALMATI IN NITRILE NERO

BLACK NITRILE COATED POLYESTER GLOVES





GUANTI N.B.R. N.B.R GLOVES

IN N.B.R.

cod. **34050**

size: **7-8-9-10**

color: ☐ ☒

packaging:  

EN 388:2003



3111

EN 388:2016



4111X



GUANTI N.B.R. ARANCIO DORSO AERATO CON POLSINO
ORANGE N.B.R. GLOVES WITH AIRY BACK AND WRISTBAND

IN N.B.R.

cod. **34100**

size: **9-10**

color: ☐ ☒

packaging:  

EN 388:2003



4111

EN 388:2016



4121X



GUANTI N.B.R. DORSO AERATO CON POLSINO
N.B.R. GLOVES WITH AIRY BACK AND CUFF

IN N.B.R.

cod. **34110**

size: **9-10**

color: ☐ ☒

packaging:  

EN 388:2003 EN 388:2016



4111



4121X



GUANTI N.B.R. DORSO AERATO MANICHETTA IN TELA

N.B.R. GLOVES WITH AIRY BACK AND CUFF



IN N.B.R.

cod. **34300**

size: **9-10**

color: ☐ ☒

packaging:  

EN 388:2003 EN 388:2016



4111



4121X



GUANTI N.B.R. INTERAMENTE RICOPERTI, MANICHETTA IN TELA

ENTIRELY COVERED N.B.R. GLOVES WITH CANVASS CUFF





GUANTI LATEX/ LATTICE P.V.C. GLOVES P.V.C.

IN LATTICE

cod. **30825**

size: **8-9-10**

color: ☐ ☒

packaging:  

EN 388:2003



3131

EN 388:2016



3131X



GUANTI IN POLIESTERE SPALMATI IN LATTICE ZIGRINATI
POLYURETHANE COATED LATEX GLOVES



IN LATTICE

cod. **G312**

size: **9-10**

color: ☒ ☐

packaging:  

EN 388:2016



2142X



GUANTI IN FILO CONTINUO COTONE/POLIESTERE, SPALMATI IN
LATTICE ZIGRINATO, DORSO AERATO, POLSINO MAGLIA
RIDGED LATEX COATED COTTON/POLYESTER WIRE GLOVES WITH
AIRY BACK AND MESH WRISTBAND



IN LATTICE

cod. **33400**

size: **9L-10L-11** CAT.1

color: ☐ ☒

packaging:  



GUANTI LATTICE ZIGRINATI CON BORDO
SALVAGOCCIA, LUNGHEZZA cm 35

*LATEX RIDGED GLOVES WITH ANTI-DRIP HEM,
35 cm LENGHT*



IN P.V.C.

cod. **33100**

size: **10**

color: ☒

packaging:  

EN 388:2003



4121



GUANTI P.V.C. SUPPORTATO CON TESSUTO IN
MAGLIA DI COTONE, LUNGHEZZA cm 27

*COTTON MESH FABRIC SUPPORTED P.V.C. GLOVES,
27 cm LENGHT*

cod. **33200**

LUNGHEZZA/ LENGHT
cm 35 / 35 cm



IN PARA

cod. **36100**

size: **10**

color: ☐ ☒

packaging:  

EN 388:2003



2131

EN 388:2016



3131X



GUANTI PARA ANTITAGLIO DORSO AERATO
MANICHETTA IN TELA

*CUT-RESISTANT PARA GLOVES WITH AIRY
BACK AND CANVASS CUFF*





GUANTI *SPLIT LEATHER* IN CROSTA *GLOVES*

cod. **10100E**

size: **10**

color: 

packaging:  **12**  **60**

EN 388:2003 EN 388:2016



3144



3144X



GUANTI CROSTA RINFORZATI PALMO E POLLICE,
MANICHETTA cm 7

*SPLIT LEATHER GLOVES REINFORCED ON PALM AND
THUMB WITH 7 cm CUFF*



cod. **10101E**

size: **10**

color: 

packaging:  **12**  **60**

EN 388:2003 EN 388:2016



3144



3144X



GUANTI CROSTA RINFORZATI PALMO E POLLICE,
MANICHETTA cm 15

*SPLIT LEATHER GLOVES REINFORCED ON PALM AND
THUMB WITH 15 cm CUFF*



cod. **10305E**

size: **10**

color: 

packaging:  

EN 388:2003 EN 388:2016



3244



3244X



GUANTI CROSTA DOPPIO PALMO MANICHETTA cm 7

*SPLIT LEATHER GLOVES WITH DOUBLE PALM
AND 7 cm CUFF*



cod. **10700**

size: **10**

color:  

packaging:  

EN 388:2003 EN 388:2016



3144



3144X



GUANTI CROSTA DORSO E MANICHETTA cm 7 IN TELA

SPLIT LEATHER GLOVES WITH CANVASS BACK AND 7 cm CUFF



GUANTI GRAIN LEATHER IN FIORE GLOVES

cod. **11100**

size: **8-9-10-11**

color: ☐

packaging:  

EN 388:2003 EN 388:2016



2132



2132X



GUANTI FIORE SEMPLICI POLLICE
RISULTA ORLATI

*SIMPLE GRAIN LEATHER HEMMED
GLOVES WITH STRAIGHT THUMB*



cod. **11110**

size: **7-8-9-10-11**

color: ☐

packaging:  

EN 388:2003 EN 388:2016



2132



2132X



GUANTI FIORE SEMPLICI ORLATI

*SIMPLE GRAIN LEATHER HEMMED
GLOVES*



cod. **12110**

size: **7-8-9-10-11**

color: ☐

packaging:  

EN 388:2003 EN 388:2016



2132



2132X



GUANTI FIORE SEMPLICI DORSO IN
CROSTA ORLATI

*SIMPLE GRAIN LEATHER HEMMED GLOVES
WITH SPLIT LEATHER GLOVES*



cod. **12110G**

size: **8-9-10**

color: ☐

packaging:  

EN 388:2003 EN 388:2016



2132



2132X



GUANTI FIORE SEMPLICI DORSO IN CROSTA POLLICE
RISULTA ORLATI

*SIMPLE GRAIN LEATHER HEMMED GLOVES WITH SPLIT
LEATHER GLOVES AND STRAIGHT THUMB*



cod. **12071**

size: **9-10**

color: ☐

packaging:  

EN 388:2003 EN 388:2016



2132



2132X



GUANTI FIORE SEMPLICI DORSO IN CROSTA
MANICHETTA cm 7

*SIMPLE GRAIN LEATHER GLOVES WITH SPLIT LEATHER
BACK AND 7 cm CUFF*



cod. **12080**

size: **10**

color: ☐

packaging:  **12**  **120**

EN 388:2003 EN 388:2016



2132



2132X



GUANTI FIORE SEMPLICI DORSO IN CROSTA
MANICHETTA cm 15

*GRAIN LEATHER SIMPLE GLOVES WITH SPLIT LEATHER
BACK AND 15 cm CUFF*



cod. **12071R**

size: **10**

color: ☐

packaging:  **12**  **120**

EN 388:2003 EN 388:2016



2132



2132X



GUANTI FIORE RINFORZATI DORSO E MANICHETTA
cm 7 IN CROSTA

*REINFORCED GRAIN LEATHER GLOVES WITH SPLIT
LEATHER BACK AND 7 cm CUFF*



CAPRETTO

cod. **11135**

size: **7-8-9-10**

color: ☐

packaging:  **12**  **120**

EN 388:2003 EN 388:2016



3011



2021X



GUANTI IN FIORE DI CAPRETTO, DORSO IN COTONE,
POLSO IN MAGLIA

*BABY GOAT GRAIN LEATHER GLOVES WITH COTTON
BACK AND MESH WRISTBAND*



MAIALINO

cod. **30310**

size: **8-9-10**

CAT.1

color: ☐ ☐ ☐ ☐

packaging:  **12**  **144**



GUANTI IN FIORE MAIALINO DORSO IN MAGLIA DI
COTONE CON POLSINO

*BABY PIG GRAIN LEATHER GLOVES WITH COTTON MESH
BACK AND WRISTBAND*



VITELLO

cod. **12100**

size: **8-9-10**

color: ☐ ☐ ☐ ☐

packaging:  **12**  **120**

EN 388:2003



2132

EN 388:2016



2143X



GUANTI IN FIORE DORSO COTONE CON POLSINO

*SIMPLE GRAIN LEATHER GLOVES WITH COTTON MESH
BACK AND WRISTBAND*



GUANTI IN MAGLIA DI ACCIAIO INOX *KNITTED STAINLESS STEEL GLOVES*

cod. **14920**

size: **3/M**

color: 

packaging: 

EN 1082



cod. **14921**

size: **4/L**

color: 

packaging: 



GUANTI IN MAGLIA DI ACCIAIO INOX, ANTISCANNAMENTO,
CHIUSURA REGOLABILE

*KNITTED STAINLESS STEEL ANTI-SLAUGHTER GLOVES, WITH
ADJUSTABLE CLOSING*

GUANTI FODERATI INVERNALI *LINED WINTER GLOVES*

cod. **30322**

size: **10** **CAT.1**

color:  

packaging:  



GUANTI REFLEX IN FIBRA SINTETICA, IMBOTTITI IN
PILE, DORSO IN TESSUTO TRASPIRANTE CON BANDE
RIFRANGENTI, CHIUSURA CON VELCRO

*"REFLEX" SYNTHETIC FIBER GLOVES WITH PILE LINING,
BREATHABLE FABRIC BACK, REFLECTIVE STRIPES AND
VELCRO CLOSING*



cod. **30323**

size: **10,5** **CAT.1**

color: ☐ ☒

packaging:  



GUANTI ALASKA FELPATI DORSO POLIURETANO CON
MANICHETTA E CHIUSURA A VELCRO

*"ALASKA" PLUSH GLOVES WITH POLYURETHANE BACK,
CUFF, AND VELCRO CLOSING*



cod. **30390**

size: **10** **CAT.1**

color: ☐ ☒

packaging:  



GUANTI IN FIORE SEMPLICI FELPATI

SIMPLE GRAIN LEATHER NAPPY GLOVES



cod. **11119**

size: **10** **CAT.1**

color: ☐ ☒

packaging:  



GUANTI IN FIORE SEMPLICI IMBOTTITI CON PELLICCIA

SIMPLE GRAIN LEATHER FUR COAT STUFFED GLOVES



GUANTI *HEAT-PROTECTION* ANTICALORE *GLOVES*

cod. **14900**

size: **10**

CAT.3

color: 

packaging:



EN 388:2016

EN 407



4442X

423X3X

GUANTI ANTICALORE IN FIBRA ARAMIDICA 480 g/m²,
FODERATI IN T.N.T. IGNIFUGO 180 g/m², CUCITURE IN
KEVLAR®, MANICHETTA cm 7

*480 g/m² ARAMID FIBER HEAT-PROTECTION GLOVES WITH
FLAME RETARDANT 180 g/m² TNT LINING, KEVLAR® SEAMS
AND 7 cm CUFF*



cod. **14901**

size: **10**

CAT.3

color: 

packaging:



EN 388:2016

EN 407



4442X

423X3X

GUANTI ANTICALORE IN FIBRA ARAMIDICA 480 g/m²,
FODERATI IN T.N.T. IGNIFUGO 180 g/m², CUCITURE IN
KEVLAR®, MANICHETTA cm 15

*480 g/m² ARAMID FIBER HEAT-PROTECTION GLOVES WITH
FLAME RETARDANT 180 g/m² TNT LINING, KEVLAR® SEAMS
AND 15 cm CUFF*



cod. **14902**

size: **10**

packaging: 

CAT.3

EN 388:2016

EN 407



1442X



42244X



GUANTI IN FIBRA ARAMIDICA ALLUMINIZZATI 450 g/m²,
FODERATI IN T.N.T. IGNIFUGO 180 g/m², CUCITURE IN
KEVLAR®, MANICHETTA cm 7

*450 g/m² ARAMID FIBER ALUMINIZED GLOVES WITH
FLAME RETARDANT 180 g/m² TNT LINING, KEVLAR®
SEAMS AND 7 cm CUFF*



cod. **14903**

size: **10**

packaging: 

CAT.3

EN 388:2016

EN 407



1442X




42244X



GUANTI IN FIBRA ARAMIDICA ALLUMINIZZATI 450 g/m²,
FODERATI IN T.N.T. IGNIFUGO 180 g/m², CUCITURE IN
KEVLAR®, MANICHETTA cm 15

*450 g/m² ARAMID FIBER ALUMINIZED GLOVES WITH
FLAME RETARDANT 180 g/m² TNT LINING, KEVLAR®
SEAMS AND 15 cm CUFF*





GUANTI PER SALDATURA WELDING GLOVES


ARGON

cod. **14904**

size: **10**

color: ■

packaging:  



GUANTI IN CROSTA "ARGON" FELPATI
RINFORZATI CON CUCITURE IN
KEVLAR® LUNGHEZZA 35 cm

"ARGON" COATED GRAIN LEATHER
GLOVES REINFORCED WITH KEVLAR®
SEAMS 35 cm LENGHT




KRIPTON

cod. **14909**

size: **10**

color: ■

packaging:  



GUANTI IN CROSTA "KRIPTON" FELPATI
CON CUCITURE IN KEVLAR®
LUNGHEZZA 35 cm

"KRIPTON" COATED GRAIN LEATHER
GLOVES WITH KEVLAR® SEAMS
35 cm LENGHT




TIG

cod. **11140**

size: **10**

color: ☐ ☒

packaging:  



GUANTI "TIG" IN FIORE CAPRETTO CON
MANICHETTA CM 15 CUCITURE IN KEVLAR®

"TIG" BABY GOAT GRAIN LEATHER GLOVES WITH
15 CM CUFF AND KEVLAR® SEAMS




ELIO

cod. **14905**

size: **10**

color: ☒

packaging:  



GUANTI IN CROSTA "ELIO" FELPATI VERDI
LUNGHEZZA 35 cm

"ELIO" RUMP SLIPT LEATHER 35 cm LONG
GREEN GLOVES




RADON

cod. **14910**

size: **10**

color: ☐

packaging:  



GUANTI IN CROSTA "RADON"
FELPATI GRIGIO LUNGHEZZA 35 cm

"RADON" RUMP SLIPT LEATHER 35 cm
LONG GREY GLOVES



cod. **14906**

size: **10**

color: 

packaging:  **10**  **50**

EN 388:2016



2143X

EN 407



4342XX



CAT.3

GUANTI IN CROSTA ANTICALORE, FODERATI,
MANICHETTA cm 15

*HEAT-PROTECTION GRAIN LEATHER LINED
GLOVES WITH 15 cm CUFF*



cod. **14907**

size: **10**

color: 

packaging:  **10**  **50**

EN 12477:2001+
A1:2005

TYPE A

EN 388:2016



2143X



EN407:2004-
4342XX




CAT.3

GUANTI IN CROSTA ANTICALORE,
FODERATI, MANICHETTA cm 7

*HEAT-PROTECTION GRAIN LEATHER LINED
GLOVES WITH 7 cm CUFF*





GUANTI COTTON GLOVES IN COTONE

cod. **30500**

size: **UOMO-DONNA / MAN-WOMAN CAT.1**

color: ☐

packaging:



GUANTI IN MAGLIA DI COTONE FILO CONTINUO, FILATO A 3 CAPI, POLSINO ELASTICIZZATO, PESO 40 gr. AL PAIO

3 WIRES YARN COTTON MESH GLOVES WITH STRETCH WRISTBAND (WEIGHT 40 gr/PAIR)



cod. **30540**

size: **UOMO-DONNA / MAN-WOMAN CAT.1**

color: ☐

packaging:



GUANTI IN MAGLIA INTERLOCK DI COTONE, ORLATI, COLORE BIANCO GREZZO

COTTON INTERLOCK MESH RAW WHITE HEMMED GLOVES



cod. **30540P**

size: **UOMO-DONNA / MAN-WOMAN CAT.1**

color: ☐

packaging:



GUANTI IN MAGLIA INTERLOCK DI COTONE, CON POLSINO,
COLORE BIANCO GREZZO

*COTTON INTERLOCK MESH RAW WHITE GLOVES WHITE
WRISTBAD*



cod. **30570**

size: **UOMO-DONNA / MAN-WOMAN CAT.1**

color: ☐

packaging:



GUANTI IN MAGLIA INTERLOCK DI COTONE, CON POLSINO,
COLORE BIANCO

*COTTON INTERLOCK MESH WHITE GLOVES WITH
WRISTBAND*







IN NITRILE

cod. **G324**

size: **8-9-10**

color:  

packaging:  12  144

EN 388:2003 EN 388:2016



4131



4121X



GUANTI IN FILO DI NYLON SPALMATI IN NITRILE FOAM NERO TRASPIRANTE,
PALMO PUNTINATO IN NITRILE, DORSO AERATO CON POLSINO

*BREATHABLE BLACK NITRILE FOAM COATED GLOVES WITH NITRILE DOTTED
PALM, AIRY BACK AND WRISTBAND*



IN NITRILE

cod. **G340**

size: **8-9-10**

color:  

packaging:  12  144

EN 388:2003 EN 388:2016



4121



4121X



GUANTI IN POLIESTERE/COTONE "CAMOUFLAGE" SPALMATI IN NITRILE NERO

"CAMOUFLAGE" BLACK NITRILE COATED POLYESTER/COTTON GLOVES



IN NITRILE

cod. **G320**

size: **S-M-L-XL-XXL**

color:  

packaging:  12  144

EN 388:2003 EN 388:2016



3121



4122X



GUANTI IN FILO DI NYLON, SPALMATI IN NITRILE COLORE GRIGIO SUL PALMO,
DORSO AERATO CON POLSINO

*NYLON WIRE GLOVES WITH GREY NITRILE COATED PALM, AIRY BACK AND
WRISTBAND*



IN NITRILE

cod. **G326**

size: **M-L-XL-XXL**

color: ☐ ☒

packaging:  

EN 388:2003 EN 388:2016



1132



4122X



GUANTI IN FILO DI NYLON, SPALMATI IN NITRILE COLORE GRIGIO SUL PALMO E DORSO FINO ALLE NOCCHIE, CON POLSINO

NYLON WIRE GLOVES WITH GREY NITRILE COATED PALM AND BACK TO THE KNUCKLES WITH WRISTBAND

IN PU

cod. **G327**

size: **M-L-XL-XXL**

color: ☒ ☐

packaging:  

EN 388:2003 EN 388:2016



2121



3131X



GUANTI IN FILO DI NYLON E SPANTEX COLORE NERO, SPALMATI IN POLIURETANO COLORE GRIGIO SUL PALMO, DORSO AERATO CON POLSINO

BLACK NYLON AND SPANTEX WIRE GLOVES WITH GREY POLYURETHANE COATED PALM, AIRY BACK AND WRISTBAND

IN PU

cod. **G85**

size: **S-M-L-XL-XXL**

color: ☐ ☒

packaging:  

EN 388:2003 EN 388:2016



1132



3131X



GUANTI IN FILO DI NYLON, SPALMATI IN POLIURETANO COLORE BIANCO SUL PALMO, DORSO AERATO CON POLSINO

NYLON WIRE GLOVES WITH WHITE POLYURETHANE COATED PALM, AIRY BACK AND WRISTBAND

IN PU

cod. **G85A**

size: **S-M-L-XL-XXL**

color: 

packaging:  12  144

EN 388:2003 EN 388:2016



GUANTI IN FILO DI NYLON, SPALMATI IN POLIURETANO COLORE GRIGIO SUL PALMO, DORSO AERATO CON POLSINO

NYLON WIRE GLOVES WITH GREY POLYURETHANE COATED PALM, AIRY BACK AND WRISTBAND

IN LATTICE


cod. **G333**

size: **9-10**

color:  

packaging:  12  144

EN 388:2003



GUANTI IN FILO DI POLIESTERE SPALMATI LATTICE FOAM TRASPIRANTE, PALMO ZIGRINATO

BREATHABLE LATEX FOAM RIDGED COATED POLYESTER GLOVES

IN LATTICE

cod. **G332**

size: **8-9-10**

color:  

packaging:  12  144

EN 388:2003 EN 388:2016



GUANTI IN FILO DI POLIESTERE SPALMATI IN LATTICE FOAM NERO TRASPIRANTE, PALMO ZIGRINATO, DORSO AERATO CON POLSINO

BLACK BREATHABLE LATEX FOAM COATED POLYESTER WIRE GLOVES WITH RIDGED PALM, AIRY BACK AND WRISTBAND

IN LATTICE

cod. **G313**

size: **8-9-10**

color:  

packaging:  

EN 388:2003 EN 511:2006



1131



010



GUANTI IN POLIESTERE FELPATI SPALMATI IN LATTICE FOAM

LATEX FOAM COATED PLUSH POLYESTER GLOVES

IN LATTICE

cod. **G311**

size: **8-9-10**

color:  

packaging:  

EN 388:2003 EN 511:2006



1131



010



GUANTI IN POLIESTERE FELPATI CAMOUFLAGE SPALMATI IN LATTICE FOAM

LATEX FOAM COATED PALM PLUSH CAMOUFLAGE POLYESTER GLOVES

IN LATTICE

cod. **G334**

size: **8-9-10**

color: 

packaging:  

EN 388:2003 EN 511:2006



4222



X1X



GUANTI IN FILO DI NYLON FELPATO SPALMATI IN LATTICE FOAM

LATEX FOAM COATED PLUSH NYLON GLOVES

IN N.B.R.

cod. **G319**

size: **9-10**

color: ☒ ☐

packaging:  

EN 388:2003 EN 388:2016



GUANTI IN COTONE SPALMATI IN NBR DORSO COPERTO C/MANICHETTA
N.B.R. COATED COTTON GLOVES WITH COVERED BACK AND CUFF

MONOUSO

cod. **G144**

size: **S-M-L-XL** CAT.1

color: ☐

packaging:  



SOTTOGUANTI IN NYLON A MEZZE DITA, ANTIALLERGICI,
ANTISUDORE, PER TUTTI I TIPI DI GUANTI MONOUSO
NYLON HALF FINGER UNDERGLOVES, ANTIALLERGIC, ANTI-
SWEAT, FOR ALL KINDS OF DISPOSABLE GLOVES (50 pcs pack)







BAXY[®]



IN NITRILE

cod. **33050**

size: **S-M-L-XL** CAT.3

color: 

packaging:  

EN374-1:2003



GUANTI IN NITRILE MONOUSO AMBIDESTRI, SENZA POLVERE COLORE AZZURRO
(Conf. da 100 pz) - PESO gr 4,9 (tg. M) - SPESSORE mm 0,12 (dita) - AQL 1,5 FDA

*DISPOSABLE NITRILE, AMBIDEXTROUS POWDER-FREE SKY BLUE GLOVES
(100 pcs pack) - WEIGHT gr 4.9 (size M) - THICKNESS mm 0.12 (fingers) - AQL 1,5 FDA*

IN NITRILE

cod. **33051**

size: **S-M-L-XL** CAT.3

color: 

packaging:  

EN374-1:2003



GUANTI IN NITRILE MONOUSO AMBIDESTRI, SENZA POLVERE COLORE AZZURRO
(Conf. da 100 pz) - PESO gr 3,5 (tg. M) - SPESSORE mm 0,10 (dita) - AQL 1,5 FDA

*DISPOSABLE NITRILE AMBIDEXTROUS POWDER-FREE SKY BLUE GLOVES
(100 pcs pack) - WEIGHT gr 3,5 (size M) - THICKNESS mm 0,10 (fingers) - AQL 1,5 FDA*

IN NITRILE

cod. **33055**

size: **M-L-XL** CAT.3

color: 

packaging:  

EN 388:2003 UNI EN 474-2:2003 UNI EN 374-3:2003



00005



GKL



GUANTI IN NITRILE SPESSORATI MONOUSO AMBIDESTRI, SENZA POLVERE COLORE ARANCIO
(Conf. da 50 pz) - PESO gr 8,9 (tg. M) - SPESSORE mm 0,18 (dita) - AQL 1,0 FDA

*DISPOSABLE NITRILE AMBIDEXTROUS RAISED THICKNESS POWDER-FREE ORANGE GLOVES
(100 pcs pack) - WEIGHT gr 8,9 (size M) - THICKNESS mm 0,18 (fingers) - AQL 1,0 FDA*

IN LATTICE

cod. **33053**

size: **S-M-L-XL** CAT.3

color: ☐

packaging:  

EN ISO 374-1:2016

TYPE B



GKLT

EN ISO 374-5:2016



GUANTI LATTICE MONOUSO, AMBIDESTRI, PRE-POLVERIZZATI
(conf. da 100 pz) PESO gr 6,5 (tg. M) - SPESSORE mm 0,15 (dita) - AQL 1,5 FDA
DISPOSABLE LATEX PRE-POWDERED AMBIDEXTROUS GLOVE, (100 pcs pack)
WEIGHT gr 6,5 (size M) - THICKNESS mm 0,15 (fingers) - AQL 1,5 FDA

IN LATTICE

cod. **33054**

size: **S-M-L-XL** CAT.3

color: ☒

packaging:  

EN 388:2003 UNI EN374-2:2003 UNI EN 374-3:2003



0000



0010



GUANTI IN LATTICE STRONG, MONOUSO, AMBIDESTRI, BORDINO ANTISTRAPPO,
SPESSORE mm.0,24, LUNGHEZZA cm.30 SENZA POLVERE, AQL 1,5 (conf.da 50 pz)
DISPOSABLE STRONG LATEX AMBIDEXTROUS GLOVES WITH TEAR-RESISTANT HEM,
0,24 mm THICKNESS AND 30 cm LENGHT, AQL 1,5 (50 pcs pack)

IN VINILE

cod. **33052**


size: **S-M-L-XL** CAT.1

color: ☐

packaging:  



GUANTI VINILE MONOUSO, AMBIDESTRI, PRE-POLVERIZZATI, (conf. da 100 pz)
DISPOSABLE VINYL PRE-POWDERED AMBIDEXTROUS GLOVES (100 pcs pack)



Ansell



IN NITRILE

cod. **11-800**

size: **6-7-8-9-10-11**

color: ☐ ☒

packaging:  



GUANTI ANSELL HYFLEX® IN NYLON SPALMATI IN NITRILE FOAM, PER MANIPOLAZIONI CHE RICHIEDONO CONFORT, DESTREZZA E PRECISIONE

ANSELL HYFLEX® NITRILE FOAM COATED NYLON GLOVES FOR HANDLINGS WHICH REQUIRE COMFORT, DEXTERITY AND PRECISION

IN NITRILE

cod. **11-801**

size: **6-7-8-9-10-11**

color: ☒ ☐

packaging:  



GUANTI ANSELL HYFLEX® IN NYLON SPALMATI IN NITRILE FOAM, IN TESSUTO ELASTICO SPANDEX, RIVESTIMENTO SENZA SILICONE, IPOALLERGENICO

ANSELL HYFLEX® NITRILE FOAM COATED STRETCH SPANDEX FABRIC GLOVES WITH SILICONE-FREE, HYPOALLERGENIC COATING

IN PU

cod. **48-125**

size: **6-7-8-9-10-11**

color: ☐

packaging:  



GUANTI ANSELL EDGE® IN POLIESTERE SPALMATI IN POLIURETANO BIANCO

ANSELL EDGE® WHITE POLYURETHANE COATED POLYESTER GLOVES

IN PU

cod. **48-126**

size: 6-7-8-9-10-11

color: ■

packaging:



EN 388:2003



3121

EN 388:2016



4121A



GUANTI ANSELL EDGE® IN POLIESTERE SPALMATI IN POLIURETANO NERO
ANSELL EDGE® BLACK POLYURETHANE COATED POLYESTER GLOVES

IN NITRILE

cod. **48-128**

size: 6-7-8-9-10-11

color: ■

packaging:



EN 388:2003



4121

EN 388:2016



4121A



GUANTI ANSELL EDGE® IN POLIESTERE SPALMATI IN NITRILE NERO
ANSELL EDGE® BLACK NITRILE COATED POLYESTER GLOVES

IN PU

cod. **48-701**

size: 6-7-8-9-10-11

color: ■

packaging:



EN 388:2003



4342

EN 388:2016



4342B



GUANTI ANSELL EDGE® CUT 3 A FILO CONTINUO IN HPPE/NYLON/SPANDEX
 SPALMATI IN POLIURETANO NERO

ANSELL EDGE® CUT 3 BLACK POLYURETHANE COATED HPPE/NYLON/SPANDEX KNITTED GLOVES

IN PU

cod. **48-705**

size: **6-7-8-9-10-11**

color: 

packaging:  



GUANTI ANSELL EDGE® CUT 5 A FILO CONTINUO IN FIBRA DI VETRO/HPPE/ NYLON/SPANDEX/ SPALMATI IN POLIURETANO NERO

ANSELL EDGE® CUT 5 BLACK POLYURETHANE COATED GLASS FIBER/HPPE/ NYLON/SPANDEX KNITTED GLOVES




IN LATTICE

cod. **16-650**

size: **7-8-9-10** CAT.3

color: 

packaging:  



GUANTI ANSELL ALPHATEC® (EX GLADIATOR) IN LATTICE INTERAMENTE RIVESTITI CON MANICHETTA FINITURA INCRESPATA ADATTA A SUPERFICI LISCE, PROTEZIONE DA BORDI TAGLIENTI, LUNGHEZZA cm.31

ANSELL ALPHATEC® (EX GLADIATOR) ENTIRELY COVERED GLOVES WITH CUFF, RIPPLED FINISHING SUITABLE FOR SMOOTH SURFACES, SHARP EDGES PROTECTION, 31 cm LENGTH



IN LATTICE

cod. **80-100**

size: **7-8-9-10-11**

color:  

packaging:  



GUANTI ANSELL POWERFLEX® IN LATTICE CON FINITURA INCRESPATA, INTERNO IN FILO CONTINUO, DORSO AERATO, CON POLSINO, INDICATO PER L'EDILIZIA

ANSELL POWERFLEX® LATEX GLOVES WITH RIPPLED FINISHING, WIRE INTERIOR, AIRY BACK AND WRISTBAND. INDICATED FOR BUILDING



IN NITRILE

cod. **27-600**

size: **8-9-10-11**

color: 

packaging:  

EN 388:2003



4221



GUANTI ANSELL HYCRON® SPALMATI IN NITRILE CON POLSINO, DORSO AERATO, FODERATO IN JERSEY, PER IMPIEGHI GRAVOSI

ANSELL HYCRON® NITRILE COATED GLOVES WITH WRISTBAND, AIRY BACK, JERSEY LINING, FOR HEAVY DUTIES



IN NITRILE

cod. **27-602**

size: **8-9-10**

color: 

packaging:  

EN 388:2003



4221



GUANTI ANSELL HYCRON® SPALMATI IN NITRILE CON POLSINO, INTERAMENTE SPALMATO, FODERATO IN JERSEY, PER IMPIEGHI GRAVOSI

ANSELL HYCRON® NITRILE ENTIRELY COATED GLOVES WITH WRISTBAND AND JERSEY LINING, FOR HEAVY DUTIES



IN NITRILE

cod. **27-607**

size: **8-9-10-11**

color: 

packaging:  

EN 388:2003



4221



GUANTI ANSELL HYCRON® SPALMATI IN NITRILE CON MANICHETTA, DORSO AERATO, FODERATO IN JERSEY, PER IMPIEGHI GRAVOSI

ANSELL HYCRON® NITRILE COATED GLOVES WITH CUFF, AIRY BACK AND JERSEY LINING, FOR HEAVY DUTIES



IN NITRILE

cod. **27-805**

size: **9-10-11**

color: 

packaging:  

EN 388:2003



4221



GUANTI ANSELL HYCRON® SPALMATI IN NITRILE CON MANICHETTA, INTERAMENTE SPALMATO, FODERATO IN JERSEY, PER IMPIEGHI GRAVOSI

ANSELL HYCRON® NITRILE ENTIRELY COATED GLOVES WITH CUFF AND JERSEY LINING, FOR HEAVY DUTIES

IN NITRILE

cod. **32-105**

size: **7-8-9-10**

color: 

packaging:  

EN 388:2003



3111

EN 388:2016



3111A



GUANTI ANSELL HYNIT® IN NITRILE CUCITI, MOLTO FLESSIBILE, RESPINGE OLI, GRASSO E SPORCO, LUNGHEZZA mm 235

ANSELL HYNIT® NITRILE SEAMED GLOVES. VERY FLEXIBLE, REJECT OILS, GREASE AND DIRT, mm 235 LENGTH

IN NITRILE

cod. **32-125**

size: **7-8-9-10**

color: 

packaging:  

EN 388:2003



3111

EN 388:2016



3111A



GUANTI ANSELL HYNIT® IN NITRILE CUCITI, DORSO PERFORATO, MOLTO FLESSIBILE, RESPINGE OLI, GRASSO E SPORCO, LUNGHEZZA mm 235

ANSELL HYNIT® NITRILE SEAMED GLOVES WITH PERFORATED BACK. VERY FLEXIBLE, REJECT OILS, GREASE AND DIRT. mm 235 LENGTH

IN NITRILE

cod. **32-815**

size: **7-8-9-10**

color: ☒ ☐

packaging:



EN 388:2003



3111

EN 388:2016



3111A



GUANTI ANSELL HYNIT® IN NITRILE CUCITI, DORSO AERATO, MOLTO FLESSIBILE, RESPINGE OLI, GRASSO E SPORCO, LUNGHEZZA mm 260

ANSELL HYNIT® NITRILE SEAMED GLOVES WITH AIRY BACK. VERY FLEXIBLE, REJECT OILS, GREASE AND DIRT, mm 260 LENGTH



IN NITRILE

cod. **47-200**

size: **6-7-8-9-10**

color: ☒ ☐

packaging:



EN 388:2003



2111

EN 388:2016



2111A



GUANTI ANSELL EASY FLEX® SPALMATI IN NITRILE CON POLSINO, OTTIMA PRESA, FRESCO E CONFORTEVOLE, RESPINGE OLIO E GRASSO

ANSELL EASY FLEX® NITRILE COATED GLOVES WITH WRISTBAND, GOOD GRIP, FRESH AND COMFORTABLE, REJECT OIL AND GREASE



IN NITRILE

cod. **47-400**

size: **7-8-9-10**

color: ☒ ☐

packaging:



EN 388:2003



2111

EN 388:2016



3111A



GUANTI ANSELL HYLITE® SPALMATI IN NITRILE, DORSO AERATO CON POLSINO, ECCELLENTE COMBINAZIONE DI FLESSIBILITÀ E RESISTENZA MECCANICA E OLEOREPELLENZA.

ANSELL HYLITE® NITRILE COATED GLOVES WITH AIRY BACK AND WRISTBAND, EXCELLENT MATCH OF FLEXIBILITY, MECHANICAL RESISTANCE AND OIL REPELLENCE



IN NITRILE

cod. **47-402**

size: **7-8-9-10**

color:  

packaging:



EN 388:2003



2111

EN 388:2016



3111A



GUANTI ANSELL HYLITE® SPALMATI IN NITRILE, INTERAMENTE SPALMATO, CON POLSINO, ECCELLENTE COMBINAZIONE DI FLESSIBILITÀ E RESISTENZA MECCANICA E OLEOREPELLENZA

ANSELL HYLITE® NITRILE ENTIRELY COATED GLOVES WITH WRISTBAND, EXCELLENT MATCH OF FLEXIBILITY, MECHANICAL RESISTANCE AND OIL REPELLENCE



IN NITRILE

cod. **52-547**

size: **9-10**

color: 

packaging:



EN 388:2003



2111

EN 388:2016



3111B



GUANTI ANSELL HYD-TUF® IN NITRILE, DORSO IN COTONE CON MANICHETTA, FODERA IN JERSEY, MORBIDO E FLESSIBILE, PER UTILIZZI GRAVOSI

ANSELL HYD-TUF® NITRILE GLOVES WITH COTTON BACK, CUFF AND JERSEY LINING, SOFT AND FLEXIBLE, FOR HEAVY DUTIES



IN NITRILE

cod. **07-112**

size: **8-9-10-11**

color: 

packaging:



EN 388:2003



3221

EN 388:2016



3221B



GUANTI ANSELL ACTIVARMR® (EX VIBRAGUARD) IN NITRILE SU IMBOTTITURA GELFOM, ATTENUANO LE VIBRAZIONI SECONDO LA NORMA EN10819, BUONA DIFESA AL TAGLIO

ANSELL ACTIVARMR® (EX VIBRAGUARD) NITRILE GLOVES WITH GELFOM LINING. THEY MITIGATE VIBRATIONS ACCORDING TO EN10819 REGULATION, GOOD PROTECTION FROM CUT



IN NEOPRENE


cod. **29-500**

size: **7-8-9-10-11**

CAT.3

color: 

packaging:



GUANTI ANSELL ALPHATEC® (EX NEOTOP) IN NEOPRENE NERO, PROTEZIONE CHIMICA DA UNA VASTA GAMMA DI ACIDI, ALCOLI E SOLVENTI. cm 30

ANSELL ALPHATEC® (EX NEOTOP) BLACK NEOPRENE GLOVES WITH PROTECTION FROM A WIDE RANGE OF ACIDS, ALCOHOLS AND SOLVENTS, 30 cm LENGHT



IN NITRILE


cod. **37-185**

size: **7-8-9-10-11**

CAT.3

color: 

packaging:



GUANTI ANSELL SOLVEX® IN NITRILE VERDE, RESISTENTE A NUMEROSI AGENTI CHIMICI, MOLTO RESISTENTE ALL'ABRASIONE, FINITURA SABBIAIA, LUNGHEZZA cm 45

ANSELL SOLVEX® GREEN NITRILE GLOVES, RESISTANT TO MANY CHEMICALS AND ABRASION, WITH MATT FINISHING, 45 cm LENGHT



IN NITRILE


cod. **37-675**

size: **6-7-8-9-10-11**

CAT.3

color: 

packaging:



GUANTI ANSELL ALPHATEC® SOLVEX® IN NITRILE VERDE, RESISTENTE A NUMEROSI AGENTI CHIMICI, MOLTO RESISTENTE ALL'ABRASIONE, FINITURA SABBIAIA, LUNGHEZZA cm 33

ANSELL ALPHATEC® SOLVEX® GREEN NITRILE GLOVES, RESISTANT TO MANY CHEMICALS AND ABRASION, WITH MATT FINISHING, 33 cm LENGHT



IN NITRILE

cod. **39-122**

size: **7-8-9-10** CAT.3

color: 

packaging:  

EN 388:2003



4111

EN 374:2003



EN 374:2003



EN 407



X1XXXX

EN 388:2016



4111B

EN 374-5:2016



EN 374-1:2016



JKT



GUANTI ANSELL ALPHATEC® (EX SOL-KNIT) FODERA DI COTONE SPALMATI IN NITRILE cm 31

ANSELL ALPHATEC® (EX SOL-KNIT) NITRILE COATED GLOVES WITH COTTON LINING cm 31

IN KEVLAR®

cod. **43-113**

size: **10-11** CAT.3

color: 

packaging:  

EN 388:2003



254X

EN 407



43421X

EN 388:2016



154XE



GUANTI ANSELL ACTIVARMR® (EX MERCURY) IN FILO DI KEVLAR® CON POLSINO, ALTE PRESTAZIONI NELLE APPLICAZIONI TERMICHE, ECCELLENTE RESISTENZA AL TAGLIO E ALL'ABRASIONE

ANSELL ACTIVARMR® (EX MERCURY) KEVLAR® WIRE GLOVES WITH WRISTBAND WITH HIGH PERFORMANCES ON THERMICAL TASKS AND EXCELLENT RESISTANCE TO CUT AND ABRASION

IN KEVLAR®

cod. **70-114**

color:  CAT.3

packaging:  

EN 388:2003



134X

EN 407



X1XXXX

EN 388:2016



133XC



MANICOTTI HYFLEX® IN KEVLAR® LUNGHEZZA mm 356, ECCELLENTE RESISTENZA A TAGLIO E ABRASIONE, CON APERTURA SUL POLLICE, PER UNA EFFICACE PROTEZIONE DEL POLSO

HYFLEX® 356 mm KEVLAR® CUT AND ABRASION RESISTANT SLEEVES WITH GAP ON THUMB FOR AN EFFECTIVE PROTECTION OF THE WRIST

IN KEVLAR®

cod. **70-118**

color: 

CAT.3

packaging:



EN 388:2003



134X

EN 407



X1XXXX

EN 388:2016



133XC



MANICOTTI HYFLEX® IN KEVLAR® LUNGHEZZA mm 457, ECCELLENTE RESISTENZA A TAGLIO E ABRASIONE, CON APERTURA SUL POLLICE, PER UNA EFFICACE PROTEZIONE DEL POLSO

HYFLEX® 457 mm KEVLAR® CUT AND ABRASION RESISTANT SLEEVES WITH GAP ON THUMB FOR AN EFFECTIVE PROTECTION OF THE WRIST



IN DYNEEMA®

cod. **72-285**

size: **6-7-8-9-10**

color: 

packaging:



EN 388:2003



254X

EN 388:2016



2X4XB



GUANTI ANSELL HYFLEX® (EX PROFOOD SAFE-KNIT) IN FIBRA Dyneema®, ALTA RESISTENZA AL TAGLIO E ALL'ABRASIONE, COLORE BLU, IDONEI AL CONTATTO CON TUTTI I PRODOTTI ALIMENTARI

ANSSELL HYFLEX® (EX PROFOOD SAFE-KNIT) Dyneema® FIBER BLUE GLOVES WITH HIGH CUT AND ABRASION RESISTANCE, SUITABLE FOR ALL FOODS CONTACT



IN DYNEEMA®

cod. **72-287**

size: **6-7-8-9-10**

color: 

packaging:



EN 388:2003



354X



GUANTI ANSELL HYFLEX® (EX PROFOOD SAFE-KNIT) IN FIBRA Dyneema®, ALTA RESISTENZA AL TAGLIO E ALL'ABRASIONE, COLORE BLU, IDONEI AL CONTATTO CON TUTTI I PRODOTTI ALIMENTARI

ANSSELL HYFLEX® (EX PROFOOD SAFE-KNIT) Dyneema® FIBER BLUE GLOVES WITH HIGH CUT AND ABRASION RESISTANCE, SUITABLE FOR ALL FOODS CONTACT



INTERMOLITE®

cod. **78-101**

size: **7-9**

CAT.3

color: 

packaging:



EN 388:2003



254X

EN 407



X1XXX

EN 511:2006



010

EN 388:2016



214XA



GUANTI ANSELL ACTIVARMR® (EX THERM-A-KNIT) LEGGERO A PROTEZIONE TERMICA (BLU)

ANSELL ACTIVARMR® (EX THERM-A-KNIT) HEAT PROTECTION (BLUE), LIGHT GLOVES



IN LATTICE

cod. **87-305**

size: **7-8-9-10**

CAT.3

color: 

packaging:



EN 388:2003



X010

EN 374:2003



EN 374:2003



EN 388:2016



X010X

EN 374-5:2016



EN 374-1:2016

TYPE B



KTP



GUANTI ANSELL ALPHATEC® (EX PROFOOD) IN LATTICE SATINATO BLU, INTERNO CLORINATO ANTIALLERGICO, PER INDUSTRIA ALIMENTARE, LUNGHEZZA cm 30

ANSELL ALPHATEC® (EX PROFOOD) SATIN FINISHIG BLUE LATEX GLOVES, ANTIALLERGIC AND CHLORINATED INTERIOR, 30 cm LENGHT, FOR FOOD INDUSTRY



IN LATTICE

cod. **87-315**

size: **7-8-9-10**

CAT.3

color: 

packaging:



EN 388:2003



X010

EN 374:2003



EN 374:2003



EN 388:2016



1010A

EN 374-5:2016



EN 374-1:2016

TYPE B



KLP

EN 421



GUANTI ANSELL ALPHATEC® (EX PROFOOD) IN LATTICE SATINATO BLU, INTERNO CLORINATO ANTIALLERGICO, ESTERNO CLORINATO PER OTTIMIZZARE RESISTENZA CHIMICA E MECCANICA, PER INDUSTRIA ALIMENTARE, LUNGHEZZA cm 30

ANSELL ALPHATEC® (EX PROFOOD) SATIN FINISHING BLUE LATEX GLOVES, ANTIALLERGIC AND CHLORINATED INTERIOR, CHLORINATED EXTERIOR TO OPTIMIZE CHEMICAL AND MECHANICAL RESISTANCE, 30 cm LENGHT, FOR FOOD INDUSTRY




IN LATTICE

cod. **87-600**

size: **7-8-9-10** CAT.3

color: 

packaging:  



GUANTI ANSELL ALPHATEC® (EX DUZMOR PLUS) IN LATTICE NATURALE NON SUPPORTATO, RESISTENTE ED ELASTICO, SPESSORE mm 0,43, AQL 0,65, LUNGHEZZA cm 30

ANSELL ALPHATEC® (EX DUZMOR PLUS) NOT SUPPORTED NATURAL LATEX GLOVES, RESISTANT AND STRETCH, 0,43 mm THICKNESS, 0,65 AQL, 30 cm LENGHT




IN LATTICE

cod. **87-650**

size: **7-8-9-10** CAT.3

color: 

packaging:  



GUANTI ANSELL ALPHATEC® (EX UNIVERSAL PLUS) IN LATTICE GIALLO, INTERNO FLOCCATO, AQL. 0,65, LUNGHEZZA cm 30

ANSELL ALPHATEC® (EX UNIVERSAL PLUS) YELLOW LATEX, FLOCKED INTERIOR 0,65 AQL, 30 cm LENGHT




IN LATTICE

cod. **87-665**

size: **7-8-9-10** CAT.3

color: 

packaging:  



GUANTI ANSELL ALPHATEC® (EX UNIVERSAL PLUS) IN LATTICE BLU, INTERNO FLOCCATO, AQL. 0,65, LUNGHEZZA cm 30

ANSELL ALPHATEC® (EX UNIVERSAL PLUS) BLUE LATEX, FLOCKED INTERIOR 0,65 AQL, 30 cm LENGHT



IN LATTICE

cod. **87-850**

size: **7-8-9-10** CAT.3

color: 

packaging:  

EN 388:2003 EN 374:2003 EN 374:2003



X120



AKL



GUANTI ANSELL PROFIL PLUS® IN LATTICE NATURALE COLORE GIALLO,
INTERNO FLOCCATO, AQL. 0,65, LUNGHEZZA cm 30

ANSELL PROFIL PLUS® YELLOW NATURAL LATEX, FLOCKED INTERIOR, 0,65
AQL, 30 cm LENGHT



IN LATTICE

cod. **87-900**

size: **7-8-9-10-11** CAT.3

color:  

packaging:  

EN 388:2003



X120

EN 374:2003



AKL

EN 374:2003



EN 388:2016



2120A

EN 374-5:2016



AKLNPT

EN 374-1:2016

TYPE A



EN 421



GUANTI ANSELL ALPHATEC® (EX BI-COLOUR) IN LATTICE E NEOPRENE,
PROTEZIONE CONTRO NUMEROSE SOSTANZA CHIMICHE, SALI E DETERGENTI,
NON SUPPORTATO, INTERNO FLOCCATO, FINITURA A ROMBI, cm 32

ANSELL ALPHATEC® (EX BI-COLOUR) NOT SUPPORTED LATEX AND NEOPENE
GLOVES, PROTECTION FROM SEVERAL CHEMICALS, SALTS AND CLEANERS,
FLOCKED INTERIOR, RHOMBUS FINISHING, 32 cm LENGHT



IN LATTICE

cod. **87-950**

size: **7-8-9-10-11** CAT.3

color: 

packaging:  

EN 388:2003



X121

EN 374:2003



EN 374:2003



AKL

EN 388:2016



X121X

EN 374-5:2016



EN 374-1:2016



AKLOPS



GUANTI ANSELL ALPHATEC® (EX EXTRA) IN LATTICE COLORE NERO, ALTISSIMA
RESISTENZA AD AGENTI CHIMICI, INTERNO FLOCCATO, ESTERNO CLORURATO,
AQL. 0,65, cm 32

ANSELL ALPHATEC® (EX EXTRA) BLACK LATEX GLOVES, VERY HIGH RESISTANCE
TO CHEMICALS, FLOCKED INTERIOR, CHLORINATED EXTERIOR, 0,65 AQL, 32 cm
LENGTH




IN LATTICE

cod. **G02T**

size: **S-M-L-XL** CAT.3

color: 

packaging:  



GUANTI ANSELL ALPHATEC® (EX VERSATOUCH) 87-370 IN LATTICE AD ALTA RESISTENZA, INTERNO FLOCCATO, SPESS. mm 1,35

ANSELL ALPHATEC® (EX VERSATOUCH) 87-370 HIGH RESISTANCE LATEX GLOVES, FLOCKED INTERIOR, 1.35 mm THICKNESS



IN NITRILE

cod. **92-600**

size: **7-8-9-10** CAT.3

color: 

packaging:  



GUANTI MONOUSO ANSELL TOUCHNTUFF® IN NITRILE VERDE, SENZA POLVERE, RESISTENZA PROLUNGATA, AQL. 1,5, SPESSORE mm.0,12, LUNGHEZZA mm.240, CONFEZIONE DISPENSER DA 100 PZ.

ANSELL TOUCHNTUFF® GREEN NITRILE POWDER-FREE DISPOSABLE GLOVES, LONG LASTING RESISTANCE, 1,5 AQL, 0,12 mm THICKNESS, 240 mm LENGHT (100 pcs dispenser)




IN NITRILE

cod. **92-500**

size: **7-8-9-10** CAT.3

color: 

packaging:  



GUANTI MONOUSO ANSELL TOUCHNTUFF® IN NITRILE VERDE, CON POLVERE, POLPASTRELLI TESTURIZZATI CON UNA MAGGIORE RESISTENZA, AQL. 1,5, SPESSORE mm.0,12, LUNGHEZZA mm.240, CONFEZIONE DISPENSER DA 100 PZ

ANSELL TOUCHNTUFF® GREEN NITRILE POWDER-FREE DISPOSABLE GLOVES, TEXTURED FINGERTIPS WITH HIGHER RESISTANCE, 1,5 AQL, 0,12 mm THICKNESS, 240 mm LENGHT, (100 pcs dispenser)




IN NITRILE

cod. **92-670**

size: **7-8-9-10** CAT.3

color: 

packaging:  



GUANTI MONOUSO ANSELL TOUCHNTUFF® BLU IN NITRILE, SENZA POLVERE, COLORE BLU, AQL. 1,5, LUNGHEZZA mm. 240, SPESSORE mm 0,10 CONF.DA 100 PZ

ANSELL TOUCHNTUFF® BLUE NITRILE POWDER-FREE DISPOSABLE GLOVES, 1,5 AQL, 240 mm LENGHT, 0,10mm THICKNESS (100 pcs pack)




IN VINILE

cod. **V70N**

size: **S-M-L-XL** CAT.3

color: ☐

packaging:  



GUANTI ANSELL DURATOUCH® 34-755 IN VINILE, CON BORDINO ANTISTRAPPO, LEGGERMENTE POLVERATI (CONF. DA 100 PZ)

ANSELL DURATOUCH® 34-755 VINYL GLOVES WITH TEAR-RESISTANT HEM, SLIGHTLY POWDERED (100 pcs pack)




IN VINILE

cod. **V77B**

size: **S-M-L-XL** CAT.3

color: ☒

packaging:  



GUANTI ANSELL VERSATOUCH® 34-750 VINILE, COLORE BLU, LEGGERMENTE POLVERATI, PER ALIMENTI (CONF. DA 100 PZ)

ANSELL VERSATOUCH® 34-750 VINYL BLUE SLIGHTLY POWDERED GLOVES FOR FOOD (100 pcs pack)




IN LATTICE

cod. **ASTROFLEX**

size: **7-8-9-10-11** CAT.3

color: 

packaging:



GUANTI ANSELL ALPHATEC® 87-029 (EX ASTROFLEX) IN LATTICE BLU RUGOSO DOPPIA SPALMATURA CM.30

ANSELL ALPHATEC® 87-029 (EX ASTROFLEX) DOUBLE COATING ROUGH BLUE LATEX 30 cm GLOVES




IN PVC

cod. **MULT-27**

size: **8-9-10-11** CAT.3

color: 

packaging:



GUANTI ANSELL MULTIPLUS SPALMATI IN PVC BLU cm.27, DOPPIA IMMERSIONE CON FINITURA GRANITICA

ANSELL MULTIPLUS P.V.C. DOUBLE IMMERSION COATED 27 cm GLOVES WITH GRANITE FINISHING




IN PVC

cod. **MULT-40**

size: **8-9-10-11** CAT.3

color: 

packaging:



GUANTI ANSELL MULTIPLUS SPALMATI IN PVC BLU cm 40 DOPPIA IMMERSIONE CON FINITURA GRANITICA

ANSELL MULTIPLUS P.V.C. DOUBLE IMMERSION COATED 40 cm GLOVES WITH GRANITE FINISHING



IN NITRILE

cod. **N110**

size: **7-8-9-10**

color: ☐ ☒

packaging:  



GUANTI ANSELL NITROTOUGH™ NYLON ANATOMICI SUPPORTATI
NITRILE
ANSELL NITROTOUGH™ ANATOMIC NITRILE SUPPORTED NYLON
GLOVES



IN NBR

cod. **N205**

size: **7-8-9-10**

color: ☒

packaging:  



GUANTI ANSELL NITROTOUGH™ NBR VERDE LEGGERI
ANSELL NITROTOUGH™ N.B.R. LIGHTWEIGHT GREEN
GLOVES



IN NITRILE

cod. **N230**

size: **7-8-9-10**

color: ☒

packaging:  



GUANTI ANSELL NITROTOUGH™ NITRILE DORSO COTONE POLSINO MA-
GLIA LEGGERI
ANSELL NITROTOUGH™ NITRILE LIGHTWEIGHT GLOVES WITH COTTON
BACK AND MESH WRISTBAND



IN NITRILE

cod. **N250**

size: **7-8-9-10**

color: 

packaging:  

EN 388:2003



4111



GUANTI ANSELL NITROTOUGH™ NITRILE DORSO COPERTO POLSINO
MAGLIA LEGGERI , COPERTURA TOTALE

ANSELL NITROTOUGH™ NITRILE LIGHTWEIGHT GLOVES WITH COTTON
BACK AND MESH WRISTBAND, TOTAL COVERAGE



IN NITRILE

cod. **N660**

size: **10**

color: 

packaging:  

EN 388:2003



4221



GUANTI ANSELL NITROTOUGH™ NITRILE DORSO COPERTO CON
MANICHETTA

ANSELL NITROTOUGH™ NITRILE GLOVES BACK COVERED WITH
HOSE



IN PVC

cod. **P56B**

size: **8-9-10**

CAT.3

color: 

packaging:  

EN 388:2003



4121

EN 374:2003



EN 374:2003



EN 511:2006



021

EN 388:2016



3121B

EN 374-5:2016



EN 374-1:2016

TYPE B



KLT



GUANTI ANSELL ALPHATEC® (EX VERSATOUGH) 23-202 IN
PVC FODERATI cm 30

ANSELL ALPHATEC® (EX VERSATOUGH) 23-202 LINED
P.V.C. GLOVES cm 30



IN PVC


cod. **P57B**

size: **7-8-9-10**

CAT.3

color: 

packaging:



GUANTI ANSELL ALPHATEC® (EX VERSATOUCH) 23-201 PVC BLU SATINATI cm 62

ANSELL ALPHATEC® (EX VERSATOUCH) 23-201 BLU P.V.C. 62 cm SATIN FINISH GLOVES

IN LATTICE


cod. **G17K**

size: **S-M-L-XL-XXL**

CAT.3

color: 

packaging:



GUANTI ANSELL ALPHATEC® 87-118 (EX BLACK HEAVYWEIGHT® G17K) LATTICE NATURALE SPECIALE, INTERNO FLOCCATO, SPESS. mm 1,60, ELEVATA RESISTENZA A PRODOTTI CHIMICI BASE ACQUOSA cm 32

ANSELL ALPHATEC® 87-118 (EX BLACK HEAVYWEIGHT® G17K) NATURAL SPECIAL LATEX GLOVES, FLOCKED INTERIOR, 1.60 mm THICKNESS, HIGH RESISTANCE TO LIQUID WATER-BASED CHEMICALS cm 32

IN LATTICE


cod. **G31H**

size: **S-M-L-XL**

CAT.3

color: 

packaging:



GUANTI ANSELL ALPHATEC® 87-137 (EX FEATHERWEIGHT™ G31H) LATTICE SATINATO, RIFINITURA A ROMBI SU PALMO E DITA, BUONA RESISTENZA ALLA LACERAZIONE cm 32

ANSELL ALPHATEC® 87-137 (EX FEATHERWEIGHT™ G31H) SATIN FINISHING LATEX GLOVES WITH RHOMBUS FINISHING ON PALM AND FINGERS, GOOD RESISTANCE TO LACERATION cm 32


IN LATTICE

cod. **ME107**

size: **7,5-8,5-9,5-10,5** CAT.3

color: 

packaging:  



GUANTI ANSELL EMPEROR™ IN LATTICE, IDEALE PER LAVORI PESANTI cm 60

ANSELL EMPEROR™ LATEX GLOVES, IDEAL FOR HEAVY DUTY, 60 cm LENGHT




IN LATTICE

cod. **ME104**

size: **S-M-L-XL** CAT.3

color: 

packaging:  



GUANTI ANSELL EMPEROR™ IN LATTICE, IDEALE PER LAVORI PESANTI cm 43

ANSELL EMPEROR™ LATEX GLOVES, IDEAL FOR HEAVY DUTY, 43 cm LENGHT






MARCATURA CE

La marcatura CE implica che il DPI soddisfi le caratteristiche di certificazione ottenuta, che viene apposta durante la fase di controllo della produzione.

Di seguito vi forniamo le informazioni per la sua interpretazione.



CE MARKING

CE marking implicates the PPE meets the features of the certification obtained, which is affixed during the production check phase. We supply you here below the information for its interpretation.

LA TABELLA DI CONVERSIONE TAGLIE DEI NOSTRI GUANTI SPALMATI SIZES CONVERSION TABLE OF OUR COATED GLOVES

S	M	L	XL	XXL
6	7	8	9	10

STANDARD EUROPEI

PITTOGRAMMI CE

Tutti i dispositivi di Protezione Individuale (DPI) nell'Unione Europea devono riportare il marchio CE quale elemento di conformità al Regolamento EU 2016/425.

I DPI si dividono in tre categorie.

- Disegno Semplice - solo per minimi rischi. Appartengono a questa categoria i DPI che salvaguardano da azioni lesive di lieve entità.
- Disegno Intermedio - DPI per attività che comportano rischi intermedi non compresi nelle altre due categorie, i guanti di questa categoria devono essere certificati da un laboratorio ufficialmente riconosciuto.
- Disegno Complesso - DPI che salvaguardano da rischi di lesioni gravi o danni irreversibili; i guanti devono essere certificati da un laboratorio ufficialmente riconosciuto così come il processo produttivo.

REQUISITI GENERALI EN420

Questa norma pone i requisiti generali per la maggior parte dei guanti di protezione, che includono:

- Idoneità allo scopo
- Innocuità
- Costruzione
- Stoccaggio
- Taglie
- Informazioni sul prodotto, confezione e marchiatura
- Disponibilità di informazioni tecniche

RISCHI MECCANICI - EN388:2016

a. Resistenza all'abrasione	0-4
b. Resistenza al taglio da lama	0-5
c. Resistenza alla trazione	0-4
d. Resistenza alla perforazione	0-4
e. Resistenza al taglio da lama rotante	A-F



Resistenza al taglio di impatto	Pass
---------------------------------	------



Dove 0 significa che la performance è inferiore a 1
Dove X significa che non è stato effettuato il test per quel tipo di resistenza

RISCHI CHIMICI E MICRO-ORGANISMI EN374

Il pittogramma "Bassa resistenza ai prodotti chimici" o "Impermeabilità" viene applicato ai guanti che non ottengono un tempo di permeazione di almeno 30 minuti ad almeno tre delle sostanze chimiche della lista definita, ma che sono conformi alla prova di Penetrazione.



Micro-organismi: resistenza alla penetrazione di micro-organismi attraverso materiali porosi, cuciture, fori di spillo, altre imperfezioni. Si riferisce ad Accettabile Livello Qualitativo (AQL)

1-3



Resistenza a danni chimici: il tempo di permeazione di un prodotto chimico attraverso il materiale del guanto

1-6



RISCHI DEL CALORE - EN407

a. Comportamento per combustione	0-4
b. Resistenza al calore da contatto	0-4
c. Resistenza al calore di conservazione	0-4
d. Resistenza al calore radiante	0-4
e. Resistenza a piccoli spruzzi di metallo fuso	0-4
f. Resistenza a grandi frammenti di metallo fuso	0-4



Dove 0 significa che la performance è inferiore a 1
Dove X significa che non è stato effettuato il test per quel tipo di resistenza

PROTEZIONE DAL FREDDO - EN511

a. Resistenza al freddo di conservazione	0-4
b. Resistenza al freddo di contatto	0-4
c. Permeabilità all'acqua	0-1



Dove 0 significa che la performance è inferiore a 1

PROTEZIONE DA RADIAZIONI IONIZZANTI E CONTAMINAZIONE RADIOATTIVA - EN 421

Campo di applicazione: La presente norma viene applicata ai guanti per la protezione dalle radiazioni ionizzanti e dalla contaminazione radioattiva.

Definizione e requisiti: La natura della protezione viene rappresentata da un pittogramma relativo alle proprietà di protezione specifiche. Per proteggere dalla contaminazione radioattiva, il guanto deve essere impermeabile e deve superare la prova di penetrazione prevista dalla norma EN 374.



EUROPEAN STANDARDS

CE PICTOGRAPHS

All personal protective equipments (PPE) on European Union have to show CE mark as a sign of conformity to Regulation EU 2016/425. PPE are divided in three categories.

- Simple design – only for minimum risks. PPE preserving from minor injury fall into this category.
- Intermediate design – PPE for tasks which involve intermediate risks and which do not fall into the other two categories. The glove included in this category have to be certified from a officially recognized laboratory.
- Complex design – PPE preserving from serious injury and irreversible damages. Both the gloves and the production process have to be certified from an officially recognized laboratory.

GENERAL REQUIREMENTS – EN420

This regulation states the general requirements for most of the protection gloves, which include:

- Fitness to the purpose
- Safety
- Manufacture
- Storage
- Sizes
- Information about the product, packaging and marking
- Technical information availability

MECHANICAL RISKS - EN388:2016

a. Abrasion resistance	0-4
b. Blade cut resistance	0-5
c. Tensile strength	0-4
d. Puncture resistance	0-4
e. Revolving blade cut resistance	A-F

Impact cut resistance	Pass
-----------------------	------

Where 0 means the performance is less than 1
Where X means the test for this kind of resistance wasn't performed

CHEMICAL RISKS AND MICRO-ORGANISMS - EN374

The pictograph "Low resistance to chemicals" or "Water Resistant" is applied to gloves that do not achieve a breakthrough time of at least 30 minutes at least three chemicals from the defined list, but are in conformity with the Penetration test.

Micro-organisms: resistance to micro-organisms penetration through porous material, seams, pinholes and other imperfections. It is referred to the Acceptable Quality Level (AQL)

1-3

Resistance to chemical damages: permeation time of a chemical through the glove material.

1-6

HEAT RISKS - EN407

a. Reaction to burning	0-4
b. Resistance to contact heat	0-4
c. Resistance to heat conservation	0-4
d. Resistance to radiant heat	0-4
e. Resistance to small splashes of molten metal	0-4
f. Resistance to large shards of molten metal	0-4

Where 0 means the performance is less than 1
Where X means the test for this kind of resistance wasn't performed

PROTECTION FROM COLD - EN511

a. resistance to cold conservation	0-4
b. resistance to contact cold	0-4
c. water permeability	0-1

Where 0 means the performance is less than 1

PROTECTION FROM IONIZING RADIATION AND RADIOACTIVE CONTAMINATION - EN 421

Scope: This regulation is applied to the gloves for protection from ionizing radiation and radioactive contamination.

Definition and requirement: The kind of protection is represented by a pictograph related to the specific protection properties. To protect from radioactive contamination, the glove has to be waterproof and pass the penetration test requested from EN 374 regulation.